

# Univar FoodGrade U5 HF 32

# Description

Univar FoodGrade U5 HF 32 is based on synthetic polyalphaolefine oils with high performance additives.

Especially suitable for very low temperature applications in food and pharmaceutical processing industries. With a wide temperature range plus excellent oxidation stability which result in extended lubrication intervals thus reducing operating costs in hydraulic systems.

It could be applied by using immersion, immersion circulation or injection or applied by brush or dripfeed lubrication for chains applications.

Univar FoodGrade U5 HF 32 is miscible with mineral oils and polyalfaolefin oils. However, we still recommend to cleaning the oil circulation system before using Univar FoodGrade U5 HF 32 for the first time. Compatible with most seal gaskets normally used in food machinery lubrication systems. A compatibility test is always recommended to be carried out. (e.g EPDM)

Univar FoodGrade U5 HF 32 is registered under No. 139882 at NSF according to H1 regulations for lubricants with incidental food contact. It is manufactured in an ISO 21469 certified facility.

### **Specifications**





AW, Anti-corrosion, Anti-oxidation, Anti-foam properties.

Excellent resistance to shear.

Fulfill HLP requirements.

## **Typical Physical Characteristics**

Base oil		Synthetic oil
Colour	Visual	Colourless
Density	ISO 12185	828 Kg/m³
ISO Grade	ASTM	32
Viscosity index	ISO 2909	> 140
Base oil viscosity at 40°C	ISO 3104	32 cSt
Base oil viscosity at 100°C	ISO 3104	6 cSt
Flash point	ISO 2592	> 210°C
Pour point	ISO 3016	-50°C
4-ball wear scar	ISO 20623	0,50 mm
Copper corrosion (3h/100°C)	ISO 2160	1a
Temperature range, approx. *		-45°C to +135°C

#### Recommendations

Store the product at ambient temperature in inside area and segregated from other non-H1 lubricants.

Avoid exposure of the product to temperatures above 35°C. Shelf life: 3 years from manufacturing date (unopened)

The information above is based on current production data and can vary within given tolerances.

\*Temperature range is given as a guideline only.

Information and data can be changed without previous notification. This information replaces prior editions.

#### Health, Safety & Environment

Guidance on Health & Safety is available on the appropriate Material Safety Data Sheet, which can be obtained from www.univarlubricants.no www.univarlubricants.se www.univarlubricants.dk www.univarlubricants.fi

SWEDEN Univar Solutions AB Kungsgatan 6 SE-211 49 Malmö Sweden

T +46 40 35 28 00 F +46 40 12 51 72 Org nr: 556114-6308 Vat nr: SE556114630801

www.univarlubricants.se

Marieholmsgatan 56, Box 48 SE-401 20 Göteborg Sweden

T +46 31 83 80 00 F +46 31 84 39 80

#### DENMARK Univar Solutions A/S Islands Brygge 43

DK-2300 København S Denmark

T +45 35 37 12 44 F +45 35 37 52 04 Org nr: 11652328 Vat nr: DK11652328

www.univarlubricants.dk

NORWAY Univar Solutions AS Nils Hansens Vei 2 NO-0667 Oslo Norway

T +47 22 88 16 00 F +47 22 72 00 52 Org nr: 00918821015 Vat nr: NO918821015

www.univarlubricants.no

**FINLAND Univar Solutions Oy** Äyritie 12B, 5th floor FI-01510 Vantaa Finland

T +358 9 350 86 50 F +358 9 350 86 550 Org nr: 9600675947 Vat nr: FI105361227

www.univarlubricants.fi